

COBE Diffuse Infrared Background Experiment (*DIRBE*)
Explanatory Supplement

edited by M. G. Hauser, T. Kelsall, D. Leisawitz, and J. Weiland
on behalf of the *COBE* Science Working Group

Version 2.3
14 January 1998

Preface

This is a “living document.” In order to expedite delivery of an *Explanatory Supplement* that describes the *DIRBE* data products, most of Chapter 4 (Data Processing and Instrument Characterization) was omitted from the present version. The complete *Explanatory Supplement* will be released as soon as possible. A current version of the document will be kept on line at the National Space Science Data Center and may be obtained either by anonymous ftp to `nssdca.gsfc.nasa.gov` in the “cobe” directory or from the *COBE* Home Page at http://www.gsfc.nasa.gov/astro/cobe/cobe_home.html on the World Wide Web.

DIRBE team members who contributed to the preparation of this document include R. G. Arendt, G. B. Berriman, B. A. Franz, H. T. Freudenreich, C. M. Lisse, K. J. Mitchell, P. M. Mitra, S. H. Moseley, J. S. Newmark, N. P. Odegard, G. L. Rawley, W. T. Reach, R. F. Silverberg, J. A. J. Skard, S. W. Stenwedel, and G. N. Toller.

This document is to be referenced as:

COBE Diffuse Infrared Background Experiment (DIRBE) Explanatory Supplement,
version 2.3,
ed. M. G. Hauser, T. Kelsall, D. Leisawitz, and J. Weiland,
COBE Ref. Pub. No. 98-A (Greenbelt, MD: NASA/GSFC),
available in electronic form from the NSSDC.

Contributors to *DIRBE*

This section is in preparation.

Contents

Preface	i
Contributors to <i>DIRBE</i>	iii
1 Introduction	1
1.1 The Experiment: Objectives and Approach	1
1.2 The Explanatory Supplement	1
1.3 Overview of Data Products	2
2 The <i>DIRBE</i> Instrument	11
2.1 Design Goals	11
2.2 Instrument Description	11
2.2.1 Optics and Baffling	12
2.2.2 Detector Assemblies	13
2.2.3 Thermal Control	14
2.2.4 Calibration	16
2.2.5 Electronics	16
2.2.6 <i>DIRBE</i> Operating Modes	18
2.3 The Instrument in Context: the <i>COBE</i> Satellite	19
2.3.1 Mission Concept	19
2.3.2 The Orbit	20
2.3.3 Attitude Control	22
2.3.4 Sky Scan Strategy	23
2.3.5 Power	23
2.3.6 Communication	26
2.3.7 The Dewar	26
2.3.8 The Sun–Earth Shield	26
3 Flight Operations	27
3.1 Overview	27
3.1.1 Mission Overview	27
3.1.2 <i>DIRBE</i> Sky Coverage	28
3.2 <i>DIRBE</i> Operations	31
3.2.1 Launch to End of Cryogen	31
3.2.2 End of Cryogen to End of Mission	32
3.3 <i>DIRBE</i> Characterization and Monitoring Tests	32
3.3.1 Daily Events	32
3.3.2 Special On–orbit Tests	32
3.4 Anticipated Environmental Influences	35
3.4.1 Nuclear Radiation Effects on Detectors	35
3.4.2 Photon–induced Responsivity Enhancement	35
3.4.3 Thermal Changes Within the Dewar	35
3.4.4 Thermal Changes External to the Dewar	35

3.4.5	Atmospheric Glow	36
3.5	<i>DIRBE</i> Malfunctions and <i>COBE</i> Influences	36
3.5.1	Band 8 Annealing Heater	36
3.5.2	Primary IRS	36
3.5.3	<i>FIRAS</i> Influences	36
4	Data Processing and Instrument Characterization	39
4.1	Overview of Data Processing	40
4.2	Beam Profile	40
4.2.1	Shape	40
4.2.2	Centroids	40
4.2.3	Solid Angles	41
4.3	Attitude Determination	41
4.4	Stray Light Rejection	41
4.4.1	Near Field	41
4.4.2	Far Field	41
4.5	Photometry	41
4.5.1	The <i>DIRBE</i> Signal Equation	41
4.5.2	Offsets	41
4.5.3	Gain	41
4.5.4	Photometric Calibration Uncertainty	41
4.5.5	Sensitivity	41
4.5.6	Comparison of <i>DIRBE</i> and <i>FIRAS</i> Calibration	41
4.5.7	Comparison of <i>DIRBE</i> and <i>IRAS</i> Calibration	41
4.6	Polarimetry	41
4.6.1	Method	41
4.6.2	Calibration	41
4.6.3	Accuracy	41
4.7	Exclusion of Low Quality Data	42
4.7.1	Pre-optimization Data	42
4.7.2	Bright Source Exclusion Zones	42
4.7.3	Recovery from Moon Passages	42
4.7.4	SAA Passages	42
4.7.5	Unusually Noisy Data	42
4.7.6	Special Pointing	42
4.7.7	Focal Plane Temperature Constraints	42
4.7.8	<i>FIRAS</i> Calibrations	42
4.7.9	Robust Averaging	42
4.8	Known Processing Deficiencies	42
4.8.1	AC <i>vs.</i> DC Calibration at 60 and 100 μm	42
4.8.2	DC Linearity Uncertainties at 60 and 100 μm	42
4.8.3	Limitations of PIRE Correction	42
4.8.4	Long-term Photometric Variations	42
5	<i>DIRBE</i> Data Products	45
5.1	Overview	45
5.2	Creation of <i>DIRBE</i> Data Products	47
5.2.1	Initial Pipeline Processing Stages	47
5.2.2	Creation of Calibrated Individual Observations	47
5.2.3	Creation of Weekly Sky Maps	47
5.2.4	Creation of <i>DIRBE</i> Calibrated Annual File	48
5.2.5	Creation of Annual Average Sky Maps	48
5.2.6	Creation of $\varepsilon = 90^\circ$ Sky Maps	48
5.2.7	Creation of the Galactic Plane Maps	50

5.2.8	Creation of <i>DIRBE</i> Sky and Zodi Atlas (DSZA)	51
5.2.9	Creation of Zodi-Subtracted Mission Average (ZSMA) Maps	51
5.3	Pixelization and the Quadrilateralized Spherical Cube Projection	51
5.3.1	Description of the File <i>DIRBE_SKYMAP_INFO.FITS</i>	52
5.4	Data Product Formats	58
5.4.1	FITS Binary Table Extension	58
5.4.2	FITS Image Format	58
5.4.3	Native Binary Format	58
5.4.4	ASCII	58
5.5	Color Corrections	58
5.6	Data Limitations	59
5.6.1	Photometric and Temporal Discontinuities in the Galactic Plane Maps	59
5.6.2	Exclusion of Solar System Objects: Gaps in Sky Coverage	59
5.6.3	Extrapolated Values	59
5.6.4	Regions Where the Statistical Noise is Relatively High	60
5.6.5	Negative Intensities at 140 μm and 240 μm	60
5.6.6	Point Source Photometry from the Maps	60
5.6.7	Annual Average Sky Maps	61
5.6.8	4.9 μm Data Excluded from Maps	61
5.6.9	JFET-off Test Periods	61
5.7	The Project Data Sets	61
5.7.1	Time-ordered Data	61
5.7.2	Calibrated Individual Observations and Associated Pixel Index Files	67
5.7.3	Weekly Sky Maps	72
5.7.4	<i>DIRBE</i> Calibrated Annual File and Associated Pixel Index File	74
5.7.5	$\varepsilon = 90^\circ$ Sky Maps	75
5.7.6	Galactic Plane Maps ($\varepsilon = 90^\circ$)	76
5.7.7	Annual Average Sky Maps	78
5.8	The Analyzed Science Data Sets	78
5.8.1	<i>DIRBE</i> Sky and Zodi Atlas and associated Pixel Index File	78
5.8.2	Zodi-Subtracted Mission Average Maps (ZSMA)	78
5.8.3	Photometric Standard Values Table	79
5.8.4	Solar System Object Data	86
5.8.5	Faint Source Model (FSM)	87
5.9	Ancillary Data Sets	87
5.9.1	Beam Profile Maps	87
5.9.2	Spectral Response Functions	87
5.9.3	Color Correction Tables	87
6	References	91
A	<i>DIRBE</i> System Spectral Response	93
B	Color Correction Tables	113
C	<i>DIRBE</i> Cold Mission Events Log	125
D	Data Retrieval	131
D.1	Reading the FITS Data	131
D.1.1	FITS Headers for the <i>DIRBE</i> Data Products	131
D.1.2	FORTRAN Access to the <i>DIRBE</i> Data Products	171
D.1.3	IDL Access to the <i>DIRBE</i> Data Products	189
D.2	Sample Data Plots and Dumps	190
E	Acronyms Used in this Document	193

F	The Faint Source Model	197
F.1	Introduction	197
F.2	Calibration	198
F.3	Verification	198
F.4	Comparison with the <i>DIRBE</i> Data	199
F.5	Warnings	199
F.6	References	199
G	Related <i>COBE</i> Publications	201
G.1	1982	201
G.2	1983	201
G.3	1984	201
G.4	1986	201
G.5	1987	202
G.6	1990	202
G.7	1991	202
G.8	1992	204
G.9	1993	204
G.10	1994	206
G.11	1995	206
G.12	1996	207
G.13	1997	208

List of Tables

1.3-1 Intensity ranges for Figures 1.3-4–1.3-6	10
2.2-1 Instrument characteristics	11
2.2-2 Detector and filter characteristics	13
3.1-1 <i>COBE</i> spacecraft and orbital characteristics	27
3.1-2 Weekly sky coverage	30
3.2-1 Nominal detector operating parameters: cryogenic era	31
3.3-1 Non–survey daily operations	33
4.2-1 Beam centroids and solid angles	40
4.7-1 Interpretation of Sentinel Values	43
5.1-1 <i>DIRBE</i> data products	46
5.6-1 Photometric discontinuities at $\ell \simeq 102^\circ$	59
5.6-2 <i>FIRAS</i> external calibration times	62
5.7-1 Time–Ordered Data files	63
5.7-2 Key fields in the Time–Ordered Data record	64
5.7-3 Polarization coefficients	67
5.7-4 Columns in the Calibrated Individual Observations FITS tables	69
5.7-5 Columns in the CIO Pixel Index FITS tables	70
5.7-6 Offset corrections for Attack Vectors in CIO files	70
5.7-7 Columns in the Weekly Sky Map FITS tables	73
5.7-8 Offset values for Weekly Sky Map fields	74
5.7-9 Ecliptic coordinate ranges covered by CSC cube faces	75
5.7-10 Columns in the DCAF Pixel Index FITS tables	75
5.7-11 Columns in the $\varepsilon = 90^\circ$ Sky Map FITS tables	76
5.7-12 Columns in the Galactic Plane Maps FITS table	77
5.7-13 Offset values for Galactic Plane Map coordinates ^a	78
5.7-14 Columns in the Annual Average Sky Map FITS tables	79
5.8-1 Columns in the <i>DIRBE</i> Sky and Zodi Atlas	80
5.8-2 Columns in the Zodi–Subtracted Mission Average Maps	81
5.8-3 Columns in the Photometric Standard Values Table	85
5.8-4 Solar System Object Detection Thresholds	86
5.8-5 Contents of Solar System Object Dataset	88
5.8-6 Orbital elements used to calculate asteroid ephemerides	89
5.8-7 Columns in the Faint Source Model FITS tables	89
A.0-1 Normalized system responses for the 10 <i>DIRBE</i> bands	94
B.0-1 Color correction factors for power law spectra of the form $I_\nu \propto \nu^n$	113
B.0-2 Color correction factors for spectra of the form $I_\nu \propto B_\nu(T)$	114
B.0-3 Color correction factors for spectra of the form $I_\nu \propto \nu^{0.5} B_\nu(T)$	116
B.0-4 Color correction factors for spectra of the form $I_\nu \propto \nu B_\nu(T)$	118

B.0-5	Color correction factors for spectra of the form $I_\nu \propto \nu^{1.5} B_\nu(T)$	120
B.0-6	Color correction factors for spectra of the form $I_\nu \propto \nu^2 B_\nu(T)$	122
C.0-1	Abridged on-orbit events log	126
D.1-1	Sample FITS headers for the Calibrated Individual Observations Pixel Index files	131
D.1-2	Sample FITS headers for the Calibrated Individual Observations data files	133
D.1-3	Sample FITS headers for the <i>DIRBE</i> Calibrated Annual File Index files	142
D.1-4	Sample FITS headers for the <i>DIRBE</i> Calibrated Annual File	144
D.1-5	Sample Weekly Sky Map FITS header	151
D.1-6	Sample $\varepsilon = 90^\circ$ Sky Map FITS header	158
D.1-7	The Galactic Plane Maps FITS header	162
D.1-8	Sample Annual Average Sky Map FITS header	166
D.1-9	Sample Beam Profile FITS header	169
D.2-1	Data for pixel 42 in the Galactic Plane Maps	190
D.2-2	Data for pixel 42 in Weekly Sky Map 22	191
D.2-3	Data for pixel 42 in the Annual Average Sky Maps	191
D.2-4	Data for pixel 42 in the Solar Elongation = 90° Sky Maps	191
E.0-1	Acronyms	194
F.1-1	Faint Source Model Parameters	198

List of Figures

1.3-1 Weekly Sky Map mosaics at $3.5 \mu\text{m}$	3
1.3-2 Weekly Sky Map mosaics at $25 \mu\text{m}$	4
1.3-3 Weekly Sky Map mosaics at $100 \mu\text{m}$	5
1.3-4 Solar elongation = 90° Sky Maps at 1.25 , 2.2 , and $3.5 \mu\text{m}$	6
1.3-5 Solar elongation = 90° Sky Maps at 4.9 , 12 , 25 , and $60 \mu\text{m}$	7
1.3-6 Solar elongation = 90° Sky Maps at 100 , 140 , and $240 \mu\text{m}$	8
1.3-7 Comparison of $240 \mu\text{m}$ Solar elongation = 90° and Annual Average Sky Maps	9
2.2-1 Optics diagram of <i>DIRBE</i>	12
2.2-2 Normalized system spectral response	15
2.2-3 Electronics block diagram of <i>DIRBE</i>	17
2.3-1 Artist cutaway drawing of <i>COBE</i>	20
2.3-2 Schematic drawing of <i>COBE</i> in orbit	21
2.3-3 Schematic drawing of <i>COBE</i> instrument viewing directions	22
2.3-4 <i>DIRBE</i> sky coverage in one orbit	24
2.3-5 Sky coverage after various time intervals	25
3.1-1 Depth of survey coverage in a typical week and for the whole cryogenic mission	29
4.7-1 Glitch counts at $100\mu\text{m}$ as a function of satellite position	42
5.2-1 I_ν vs. $(90/\varepsilon - 1)$ for <i>DIRBE</i> pixel number 247071	49
5.3-1 Internal storage of data using the CSC	53
5.3-2 <i>DIRBE</i> pixel numbering scheme	54
5.8-1 Calibrator flux density histograms	82
5.8-2 Calibrator positions in Galactic coordinates	83
5.8-3 Calibrator positions in geocentric ecliptic coordinates	84
D.2-1A slice through the $25 \mu\text{m}$ $\varepsilon = 90^\circ$ Sky Map	192

